

## Neonatal On-Line Education (NOLE) Reference List

- Abbott, A. (2015). Neuroscience: The Brain Interrupted. *Nature*, 518 (7537) 24-26.
- Ahmadpour-Kacho, M., Pasha, Y. Z., Aliabadi, B. M. (2012). Outcomes of very-low-birthweight infants after discharge with a discharge weight of 1500 grams. *Pediatrics International*, 54 (2), 196-199
- Alshaikh, B., Yusuf, K., Sauve, R. (2013) Neurodevelopmental outcomes of very low birth weight infants with neonatal sepsis: systematic review and meta-analysis. *Journal of Perinatology*, 33, 558-564
- Ancel, P., Goffinet, F. (2014). A preterm birth cohort in France in 2011. *BMC Pediatrics*, 14 (97). DOI: 10.1186/1471-2431-14-97.
- Attarian, S., Tran, L.C., Moore, A., Stanton, G., Meyer, E., Moore, R. (2014). The Neurodevelopmental Impact of Neonatal Morphine Administration. *Brain Sciences*, 4, 321-334.
- Balaguer, A., Escribano, J., Roque I Figulus, M., & Rivas-Fernandez, M. (2013). Infant position in neonates receiving mechanical ventilation. *Cochrane Database of Systematic Reviews*, 3, CD003668.
- Baley, J. & Committee on Fetus and Newborn (2015). Skin-to-skin care for term and preterm infants in the neonatal ICU. *Pediatrics*, 136(3), 596-599.
- Bauml, J., Daamen, M., Meng, C., Neitzel, J., Scheef, L., Jaekel, J., Busch, B., Baumann, N., Bartmann, P., Wolke, D., Boecker, H., Wohlschlager, A., Sorg, C. (2015). Correspondence Between Aberrant Intrinsic Network Connectivity and Gray-Matter Volume in the Ventral Brain of Preterm Born Adults. *Cerebral Cortex*, 25(11), 4135-4145.
- Boardman, J., Walley, A., Ball, G., Takousis, P., Krishnan, M., Hughes-Carre, L., Aljabar, P., Serag, A., King, C., Merchant, N., Srinivasan, L., Froguel, P., Hajnal, J., Rueckert, D., Counsell, S., Edwards, A. (2014). Common Genetic Variants and Risk of Brain Injury After Preterm Birth. *Pediatrics*, 133 (6) e1655-e1663.
- Boekelheide, K., Blumberg, B., Chapin, R., Cote, I., Graziano, J., Janesick, A., Lane, R., Lillycrop, K., Myatt, L., States, J., Thayer, K., Waalkes, M., Rogers, J.(2012). Predicting Later-Life Outcomes of Early-Life Exposures. *Environmental Health Perspectives*, 120(10), 1353-1361.
- Breeman, L., Jaekel, J., Baumann, N., Bartmann, P., Wolke, D. (2017). Neonatal predictors of cognitive ability in adults born very preterm: a prospective study. *Developmental Medicine and Child Neurology*, 59 (5), 477-483.
- Bucsea, O., Riddel, R. (2019). Non-pharmacological pain management in the neonatal intensive care unit: Managing neonatal pain without drugs. *Seminars in Fetal & Neonatal Medicine*, 24 (4), doi:<https://doi.org/10.1016/j.siny.2019.05.009>.
- Caskey, M., Stephens, B., Tucker, R., Vohr, B. (2014). Adult Talk in the NICU with Preterm Infants and Developmental Outcomes. *Journal of Pediatrics*, 133 (3) e578-584.

- Conde-Agudelo, A. & Diaz-Rossello, J.L. (2014). Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. *Cochrane Database of Systematic Reviews*, 4, CD002771.
- Coughlin, M. (2015). The Sobreviver (survive) project. *Newborn and Infant Nursing Reviews*, 15(4), 169-173.
- Craig, J., Glick, C., Phillips, R., Hall, S., Smith, J., Browne, J. (2015). Recommendations for involving the family in developmental care of the NICU baby. *Journal of Perinatology*, 35, S5-S8.
- D'Agata, A. Sanders, M., Grasso, D., Young, E., Cong, X. McGrath, J. (2017). Unpacking the burden of care for infants in the NICU. *Infant Mental Health Journal*, 00(0), 1-11.
- Doheny, L., Hurwitz, S., Insoft, R., Ringer, S., Lahav, A. (Curley, M., Meyer, E., Scoppettuolo, L., McGann, E., Trainor, B., Rachwal, C., Hickey, P. (2012). Parent Presence during Invasive Procedures and Resuscitation, Evaluating a Clinical Practice Change. *American Journal of Respiratory Critical Care Medicine*, 186 (1), 1133-1139.
- Demirel, G., Oguz, S.S., Celik, I.H., Erdeve, O., & Dilmen, U. (2012). Cerebral and mesenteric tissue oxygenation by positional changes in very low birth weight premature infants. *Early Human Development*, 88(6), 409-411.
- Dietz, A.S., Pronovost, P.J., Mendez-Tellez, P.A., Wyskiel, R., Marsteller, J.A., Thompson, D.A., & Rosen, M.A. (2014). A systematic review of teamwork in the intensive care unit: what do we know about teamwork, team tasks, and improvement strategies? *Journal of Critical Care*, 29(6), 908-914.
- Diniz, K.T., Cabral-Filho, J.E., Miranda, R.M., Souza Lima, G.M., & Vasconcelos, Dde A. (2013). Effect of the kangaroo position on the electromyographic activity of preterm children: a follow-up study. *BMC Pediatrics*, 13, 79. Doi: 10.1186/1471-2431-13-79.
- Doheny, L., Morey, J., Ringer, S. Lahav, A. (2012). Reduced frequency of apnea and bradycardia episodes caused by exposure to biological maternal sounds. *Pediatrics International*, 54 (2), e1-e3.
- Doyle, L., Schmidt, B., Anderson, P., Davis, P., Moddemann, D., Grunau, R., O'Brien, K., Sankaran, K., Herlenius, E., Roberts, R., (2014). Reduction in Developmental Coordination Disorder with Neonatal Caffeine Therapy. *Journal of Pediatrics*, 165 (2), 356-359.
- Edraki, M., Paran, M., Montaseri, S., Razavi Nejad, M., & Montaseri, Z. (2014). Comparing the effects of swaddled and conventional bathing methods on body temperature and crying duration in premature infants: a randomized clinical trial. *Journal of Caring Sciences*, 3(2), 83-91.
- Eghbalian, F. (2014). Comparison of supine prone positioning on improved arterial oxygenation in premature neonates. *Journal of Neonatal-Perinatal Medicine*, 7(4), 273-277.
- Einspieler, C., Bos, A., Kriebler-Tomantschger, M., Alvarado, E., Barbasoa, V., Bertoncilli, N...Marschik, P. (2019). Cerebral palsy: Early markers of clinical phenotype. *Journal of Clinical Medicine*, 8(10), E1616.
- Feldman, R., Rosenthal, Z., Eidelman, A. (2014) Maternal-preterm skin-to-skin contact enhances child physiologic organization and cognitive control in the first 10 years of life. *Biological Psychology*, 75 (1) 56-64.
- Fischi-Gomez, E., Vasung, L., Meskaldii, D., Lazevras, F., Borradori-Tolsa, C., Hagmass, P., Barisnikov, K., Thiran, J., Huppi, P. (2015). Structural Brain Connectivity in School-Age Preterm Infants Provides Evidence for Impaired Networks Relevant for Higher Order Cognitive Skills and Social Cognition. *Cerebral Cortex*, 25 (9), 2793-2805.

- Franck, L., O'Brien, K. (2019). The evolution of family-centered care: From supporting parent-delivered interventions to a model of family integrated care. *Birth Defects Research*, 111(15), 1044-1059.
- Frolek Clark, G.J. & Schlabach, T.L. (2013). Systematic review of occupational therapy interventions to improve cognitive development in children ages birth – five years. *The American Journal of Occupational Therapy*, 67, 425-430.
- Gormley, J., Williams, D. (2019). Providing supportive hospital environments to promote the language development of infants and children born prematurely: Insights from neuroscience. *Journal of Pediatric Health Care*, DOI: 10.1016/j.pedhc.2019.01.007.
- Griffiths, N., Spence, K., Loughran-Fowlds, A., Wenstrup, B. (2019). Individualised developmental care of babies and parents in the NICU: Evidenced-based best practice guideline recommendations. *Early Human Development*, DOI: 10.1016/j.earlhumdev.2019.104840.
- Guillaume, S., Michelin, N., Amrani, E., Benier, B., Durrmeyer, X., Lescure, S., Bony, C., Danan, C., Baur, O., Jarreau, P., Zana-Taieb, E., Caeymaex, L. (2013). Parents' expectations of staff in the early bonding process with their premature babies in the intensive care setting: a qualitative multicenter study with 60 parents. *BMC Pediatrics*, 13(18), DOI: 10.1186/1471-2431-13-18.
- Hall, S., Cross, J., Selix, N., Patterson, C., Sengre, L, Chuffo-Siewert, R., Geller, P., Martin, M. (2015). Recommendations for enhancing psychosocial support of NICU parents through staff education and support. *Journal of Perinatology*, 35, S29-S36.
- Hall, S., Ryan, D., Beatty, J., Grubbs, L. (2015). Recommendations for peer-to-peer support for NICU parents. *Journal of Perinatology*, 35, S9-13.
- Hendricks-Munoz, K., Mayers, R. (2014) A neonatal nurse training program in Kangaroo Mother Care Decreased barriers to KMC Utilization in the NICU. *American Journal of Perinatology*, 31 (11) 987- 992.
- Holditch-Davis, D., White-Traut, R., Levey, J., O'Shea, T.M., Geraldo, V., David, R. (2014). Maternally administered interventions for preterm infants in the NICU: Effects on maternal psychological distress and mother-infant relationship. *Infant Behavior and Development*, 37, 695-710.
- Hoogewerf, M., Ter Horst, H., Groen, H., Nieuwenhuis, T., Bos, A., van Dijk, M. (2017). The prevalence of feeding problems in children formerly treated in a neonatal intensive care unit. *Journal of Perinatology*, 37 (5), 578-584.
- Iyer, K., Roberts, J., Hellstrom-Westas, L. Wikstrom, S., Pupp, I., Ley, D., Vanhatal, S., Breakspear, M. (2015). Cortical burst dynamics predict clinical outcome early in extremely preterm infants. *Brain*. doi:10.1093/brain/awv129
- Jansson, L., Patrick, S. (2019). Neonatal abstinence syndrome. *Pediatric Clinics of North America*, 66 (2), 353-367.
- Kanagasabai, P., Mohan, D., Lewis, L., Kamath, A., Rao, B. (2013). Effect of multisensory stimulation on neuromotor development in preterm infants. *Indian Journal of Pediatrics*, 80 (4), 460-464.
- Korraa, A.A., El Nagger, A.A., Mohamed, R.A., & Helmy, N.M. (2014). Impact of kangaroo Mothercare on cerebral blood flow of preterm infants. *Italian Journal of Pediatrics*, 13(40), 83. DOI: 10.1186/s13052-014-0083-5.
- Leuchter, R., Gui, L., Poncet, A., Hagmann, C., Lodygensky, A., Martin, E., Koller, B., Darque, A., Bucher, H., Huppi, P. (2014). Association Between Early Administration of High-Dose Erythropoietin in Preterm Infants and Brain MRI Abnormality at Term-Equivalent Age. *The Journal of the American Medical Association*, 312 (8), 817-824.
- Liao, S.M-C., Rao, R., & Mathur, A.M. (2015). Head position change is not associated with acute changes in bilateral cerebral oxygenation in stable preterm infants during the first three days of life. *American Journal of Perinatology*, 32(7), 645-652.

- Ma, M., Noori, S., Maarek, J-M., Holschneider, D.P., Rubinstein, E.H., & Seri, I. (2015). Prone positioning decreases cardiac output and increases systemic vascular resistance in neonates. *Journal of Perinatology*, 35(6), 424-427.
- Madlinger-Lewis, L., Reynolds, L., Zarem, C., Crapnell, T., Inder, T., & Pineda, R. (2014). The effects of alternative positioning on preterm infants in the neonatal intensive care unit: a randomized clinical trial. *Research in Developmental Disabilities*, 35(2), 490-497.
- Miranda, R.M., Cabral Filho, J.E., Diniz, K.T., Souza Lima, G.M., & Vasconcelos Dde, A. (2014). Electromyographic activity of preterm newborns in the kangaroo position: a cohort study. *BMJ Open*, 4(10), e005560.
- Madzwamuse, S., Baumann, N., Jaekel, J., Bartmann, P., Wolke, D. (2015). Neuro-cognitive performance of very preterm or very low birth weight adults at 26 years. *Journal of Child Psychology and Psychiatry*, 56 (8), 857-864.
- Milgrom, J., Newnham, C., Martin, P., Anderson, P., Doyle, L., Hunt, R., Achenbach, T., Ferretti, C., Holt, C., Inder, T., Gemmill, A. (2013). Early Communication in preterm infants following intervention in the NICU. *Early Human Development*, 89 (9), 755-762.
- Montaseri, S., Barati, R., Edraki, M., Hemmati, F. (2020). The effects of massage therapy with or without physical exercises on the weight of premature infants admitted to the neonatal intensive care unit: A randomized controlled trial. *Shiraz E-Med J. Online ahead of Print ; In Press(In Press):e91033. doi: 10.5812/semj.91033.*
- Naughton, K. 2013. The combined use of sucrose and nonnutritive sucking for procedural pain in both term and preterm neonates an integrative review of the literature. *Advances in Neonatal Care*, 13(1), 9-19.
- Nist, M., Harrison, T., Steward, D. (2019). The biological embedding of neonatal stress exposure: A conceptual model describing the mechanisms of stress-induced neurodevelopmental impairment in preterm infants. *Research in Nursing and Health*, 42 (1), 61-71.
- Pandey, M., Datta, V., Rehan, H. (2013) Role of Sucrose in Reducing Painful response to orogastric tub insertion in preterm neonates. *Indian Journal of Pediatrics*, 80 (6), 476-82.
- Petrova, A. & Mehta, R. (2015). Alteration in regional tissue oxygenation of preterm infants during placement in the semi-upright seating position. *Scientific Reports*, 5, 8343. Doi: 10.1038/srep08343.
- Pineda, R., Raney, M., Smith, J. (2019). Supporting and enhancing NICU sensory experiences (SENSE): Defining developmentally-appropriate sensory exposures for high-risk infants. *Early Human Development*, 133, 29-35.
- Pineda, R., Melchior, K., Oberle, S., Inder, T., & Rogers, C. (2015). Assessment of autism symptoms during the neonatal period: is there early evidence of autism risk?. *American Journal of Occupational Therapy*, 69, 1-11.
- Pineda, R., Neil, J., Dierker, D., Smyser, C., Wallendorf, M., Kidokoro, H., Reynolds, L., Walker, S., Rogers, C., Mathur, A., Van Essen, D., Inder, T. (2014) Alterations in Brain Structure and Neurodevelopmental Outcome in Preterm Infants Hospitalized in Different Neonatal Intensive Care Unit Environments. *Journal of Pediatrics*, 164,52-60.
- Purdy, I., Craig, J., Zeanah, P. (2015). NICU discharge planning and beyond: recommendations for parent psychosocial support. *Journal of Perinatology*, 35, S24-S28.
- Schmitt, A., Malchow. B., Hasan, A., Falkai, P. (2014) The impact of environmental factors in severe psychiatric disorders. *Frontiers in neuroscience*, 8 (19) 1.
- Shapero, B. G., Black, S. K., Liu, R. T., Klugman, J., Bender, R. E., Abramson, L. Y., Alloy, L. (2014). Stressful life events and depressive symptoms: the effect of childhood emotional abuse. *Journal of Clinical Psychology*, 70 (3), 209-223.

- Smith, J., McGrath, J., Brotto, M., Inder, T. (2014). A Randomized Controlled-Trial Pilot Study examining the neurodevelopmental effects of a 5-week M technique Intervention on very preterm infants. *Advances in Neonatal Care*, 14 (3) 187-200.
- Smyser, C., Snyder, A., Shimony, J., Mitra, A., Inder, T., Neil (2016). Resting-State Network Complexity and Magnitude Are Reduced in Prematurely Born Infants. *Cerebral Cortex*, 26 (1), 322-333.
- Spittle, A.J., Lee, K.J., Spencer-Smith, M., Lorefice, L.E., Anderson, P.J., & Doyle, L.W. (2015). Accuracy of two motor assessments during the first year of life in preterm infants for predicting motor outcome at preschool age. *PLoS One*, 10(5), e0125854.
- Spittle, A., Orton, J., Anderson, P.J., Boyd, R., & Doyle, L.W. (2015). Early developmental intervention programs provided post hospital discharge to prevent motor and cognitive impairment in preterm infants. *Cochrane Database of Systematic Reviews*, 11, CD005495.
- Standley, J. (2012). Music therapy research in the NICU: an updated meta-analysis. *Neonatal Network*, 31(5), 311-316.
- Subedi, D., DeBoer, M., Scharf, R. (2017). Developmental trajectories in children with prolonged NICU stays. *Archives of Disease in Childhood*, 102 (1).
- Toulmin, H., Beckmann, C., O'Muircheartaigh, J., Ball, G., Nongena, P., Makropoulos, A., Ederies, A., Counsell, S., Kennea, N., Arichi, T., Tusor, N., Rutherford, M., Azzopardi, D., Gonzalez-Cinca, N., Hajnal, J., Edwards, D. (2015). Specialization and integration of functional thalamocortical connectivity in the human infant. *Proceedings of the National Academy of Sciences of the United States of America*, 112 (20), 6485-6490.
- Toye, N., Yang, J., Sankaran, K. (2019). Narcotics and sedatives use in the mechanical ventilation in preterm infants: Predictors and outcome. *Journal of Neonatal and Perinatal Medicine*, 12(2), 153-141.
- Vohr, B., McGowan, E., McKinley, L., Tucker, R., Keszler, L., Alksninis, B. (2017). Differential effects of the single-family room neonatal intensive care unit on 18 to 24-month bayley scores of preterm infants. *The Journal of Pediatrics*, 185, 42-48.
- Wachman, E., Farrer, L. (2019). The genetics and epigenetics of neonatal abstinence syndrome. *Seminars in Fetal and Neonatal Medicine*, 24(2), 105-110.
- Welch, M., Firestein, M., Austin, J., Hane, A., Stark, R., Hofer, M., Garland, M., Glickstein, S., Brunelli, S., Ludwig, R., & Myers, M. (2015). Family nurture intervention in the neonatal intensive care unit improves social-relatedness, attention, and neurodevelopment of preterm infants at 8 months in a randomized controlled trial. *Journal of Child Psychology and Psychiatry*. 56 (11), 1202-1211
- White-Traut, R., Rankin, K., Yoder, J., Liu, L., Vasa, R., Geraldo, V., Norr, K. (2015). Influence of H-HOPE intervention for premature infants on growth, feeding progression and length of stay during initial hospitalization. *Journal of Perinatology*, 35, 636-641.
- Woodward, L., Bora, S., Clark, C., Montgomery-Honger, A., Pritchard, V., Spencer, C., Austin, N. (2014). Very preterm birth: maternal experiences of the neonatal intensive care environment. *Journal of Perinatology*, 34, 555-561.